JOURNAL OF ORGANOMETALLIC CHEMISTRY, VOL. 394

AUTHOR INDEX

Abel, E.W., (394) 455
Adams, H., (394) 349, 583
Al-Juaid, S.S., (394) 69
Andersen, R.A., (394) 417
Anderson, S., (394) C24
Angelici, R.J., (394) 235
Armstrong, K.P., (394) 711
Arndt, L.W., (394) 733
Ash, C.E., (394) 733
Atwood, D.A., (394) C6
Atwood, J.L., (394) C6

Bailey, N.A., (394) 349, 583
Bakar, W.A.W.A., (394) 177
Bandyopadhyay, A.K., (394) 15
Barra, E.C., (394) C21
Barrientos, C., (394) C31
Bates, P.A., (394) 455
Beck, W., (394) 601
Beek, J.A.M. van, (394) 659
Bell, P., (394) 195
Bennett, M.A., (394) 481
Bergman, R.G., (394) 417
Bhattacharyya, N.K., (394) 305
Boag, N.M., (394) 433
Boese, R., (394) C1
Bott, A., (394) 533
Bott, S.G., (394) C6
Brothers, P.J., (394) 615
Brown, C.J., (394) 711
Bruce, M.I., (394) 365
Brunner, H., (394) 555
Burrell, A.K., (394) 615
Buttrus, N.H., (394) 57

Carlton, L., (394) 177
Carriedo, G.A., (394) 275
Casey, C.P., (394) 339
Chetcuti, M.J., (394) 765
Chicote, M.T., (394) 77
Chisholm, M.H., (394) 265, C16
Chiusoli, G.P., (394) 569
Cian, A. de, (394) 213
Clark, G.R., (394) 615
Coffy, T.J., (394) C27
Costa, M., (394) 569
Cowie, J., (394) 1
Cowley, A.H., (394) C6
Crascall, L.E., (394) C35
Crocker, M., (394) 339
Cunningham, P.N., (394) 765

D'Agostino, M.F., (394) 145
Darensbourg, M.Y., (394) 733
Davidson, J.L., (394) 177
de Cian, A., (394) 213
Dekker, G.P.C.M., (394) 659

Eaborn, C., (394) 69
Eder, R., (394) 555
Edwin, J., (394) 329
Erker, G., (394) 99
Evans, W.J., (394) 87

Farrugia, L.J., (394) 515
Fehlner, T.P., (394) 15
Feng, W.C., (394) 251
Fischer, J., (394) 213
Folting, K., (394) 265
Fontaine, X.L.R., (394) 699
Forniés, J., (394) 643
Fortuño, C., (394) 643
Frampton, C.S., (394) 145
Friedrich, H.B., (394) 313

Gamper, S., (394) 757
Ganter, C., (394) C1
Garrett, K.E., (394) 251
Geoffroy, G.L., (394) 251
Ghosh, C.K., (394) C31
Gill, J.B., (394) 583
Gillette, G.R., (394) 45
Gordon, J.C., (394) 765
Gouyon, T., (394) 37
Graham, W.A.G., (394) C31
Grant, B.E., (394) 765
Green, M.L.H., (394) C9
Grevels, F.-W., (394) 15

Hamers, H., (394) 213
Hamilton, E.J.M., (394) 1
Hammer, B., (394) 555
Hammond, C.E., (394) 265, C16
Hartwig, J.F., (394) 417
Hawthorne, M.F., (394) 29
Henderson, W., (394) 121
Herberhold, M., (394) 113
Herberich, G.E., (394) C1
Herdtweck, E., (394) 285
Herring, A.M., (394) 699
Herrmann, W.A., (394) 285
Herter, W., (394) 329
Hill, A.F., (394) C24
Hitchcock, P.B., (394) 57, 69
Hogarth, G., (394) C9
Holt, E.M., (394) 305
Hsiao, Y.M., (394) 733
Huffman, J.C., (394) C16
Hursthouse, M.B., (394) 455

Jeffery, J.C., (394) 167
Jeffrey, J.G., (394) 533
Jensen, M.P., (394) 121
Johnson, B.F.G., (394) 533
Johnston, D.H., (394) 121
Johnston, V.J., (394) 265, C16
Jones, P.G., (394) 77
Jones, R.A., (394) C6

Kaesz, H.D., (394) 433
Kakkar, A.K., (394) 777
Kapoor, P.N., (394) 69
Keyer, R.A., (394) 87
Kim, C.M., (394) 733
King, R.B., (394) 305
Klaiss, J., (394) 765
Kläui, W., (394) 213
Klement, U., (394) 555
Knobler, C.B., (394) 29, 433
Knox, S.A.R., (394) 385
Konidaris, P.C., (394) C9
Koten, G. van, (394) 659
Kraatz, H.-B., (394) 167
Kraft, A., (394) 99
Kreiter, C.G., (394) 195

Krone-Schmidt, W., (394) 433
Krüger, C., (394) 99

Laguna, A., (394) 743
Laguna, M., (394) 743
Lappert, M.F., (394) 57
Laurie, J.C.V., (394) 1
Lee, S.S., (394) 29
Leung, W.-P., (394) 57
Lewis, J., (394) 533
Litster, S.A., (394) C35
Lloyd, B.R., (394) 385
Long, N.J., (394) 455

Maitlis, P.M., (394) 583
Marder, T.B., (394) 777
Markham, D.P., (394) 699
Martínez, F., (394) 643
Martinez, J., (394) 583
Marz, D.W., (394) 285
Matsuzaka, H., (394) 251
McCarthy, P.J., (394) 711
McGlinchey, M.J., (394) 145
McPartlin, M., (394) 711
Meng, X., (394) 15
Miller, D.C., (394) 235
Mingos, D.M.P., (394) 679
Morton, D.A.V., (394) 385
Moss, J.R., (394) 313
Mountford, P., (394) C9
Müller, G., (394) 757

Navarro, R., (394) 643
Nicholls, S.M., (394) 385
Noe, R., (394) 99
Normant, J.-F., (394) 37

Öller, H.-J., (394) 757
Orpen, A.G., (394) 385
Orrell, K.G., (394) 455
Osborne, A.G., (394) 455

Panza, M., (394) 569
Pfaff, R., (394) 99
Pfeffer, M., (394) 213
Polborn, K., (394) 601
Powell, H.R., (394) 711

Ramirez-de-Arellano, M.C., (394) 77
Redhouse, A.D., (394) C35
Reibenspies, J., (394) 733
Rest, A.J., (394) C21
Reveco, P.G., (394) C21
Rheingold, A.L., (394) 113, 251
Rickard, C.E.F., (394) 615
Ridgway, C., (394) 349
Riera, V., (394) 275
Roper, W.R., (394) 615

Sabat, M., (394) 121
Saez, I.M., (394) 583
Salerno, G., (394) 569
Salter, I.D., (394) 711
Sarter, C., (394) 99
Sauvêtre, R., (394) 37
Schmidbaur, H., (394) 757
Schrepfermann, M., (394) 113
Schulz, M., (394) 469
Shaw, B.L., (394) 699
Shore, S.G., (394) C27
Shriver, D.F., (394) 121
Sieber, W.J., (394) 433
Siebert, W., (394) 329
Šik, V., (394) 455
Slee, T., (394) 679
Smith, J.D., (394) 69
Sosna, F., (394) 99
Spencer, J.L., (394) C35
Stahl, S., (394) 469
Stam, C.H., (394) 659
Stringer, G., (394) 777
Sunley, G.J., (394) 583

Taylor, B.F., (394) 349
Taylor, N.J., (394) 777
Thomas, M.J., (394) C31
Thornton-Pett, M., (394) 699

van Beek, J.A.M., (394) 659
van Koten, G., (394) 659
Vicente, J., (394) 77
Viñas, J.M., (394) 385
Vosejpka, P.C., (394) 339

Wagner, B., (394) 601
Walters, S.J., (394) 349
Weber, M., (394) 385
Weerasuria, A.M.A., (394) 481
Welch, A.J., (394) 1, 643
Went, M.J., (394) 167
Wenz, M., (394) 195
Werner, H., (394) 469
Wesemann, L., (394) C1
West, R., (394) 45
Westcott, S.A., (394) 777
Whiteley, M.W., (394) 329
Williams, G.K., (394) 385
Williamson, B.K., (394) 313
Wilson, M.J., (394) C21
Winter, M.J., (394) 349
Wissing, E., (394) 659

Youngdahl, K.A., (394) 733

Zahn, I., (394) 601
Zanotto, L., (394) 69
Ziller, J.W., (394) 87
Zoutberg, M.C., (394) 659
Zwettler, R., (394) 99

JOURNAL OF ORGANOMETALLIC CHEMISTRY, VOL. 394 (1990)

SUBJECT INDEX

Boron

closo-3-(η^6-C_6H_6)-3,1,2-$FeC_2B_9H_{11}$, synthesis and molecular structure of (S.S. Lee, C.B. Knobler, M.F. Hawthorne), (394) 29

[3,3,3-$(CO)_3$-4-SMe_2-3,1,2-$MnC_2B_9H_{10}$], synthesis and molecular and electronic structure of; order-of-magnitude improved structure of (η-C_5H_5)$Mn(CO)_3$ (J. Cowie, E.J.M. Hamilton, J.C.V. Laurie, A.J. Welch), (394) 1

3,4-Diborafulvene as bridging ligand in a novel slipped tripledecker complex (G.E. Herberich, C. Ganter, L. Wesemann, R. Boese), (394) C1

Metalladiborane anions, $[M(CO)_4(\eta^2\text{-}B_2H_5)]^-$ (Fe, Ru, Os), addition of electrophiles to (T.J. Coffy, S.G. Shore), (394) C27

Metal-rich metallaborane clusters, synthesis of; mechanism involving fragment condensation (X. Meng, A.K. Bandyopadhyay, T.P. Fehlner, F.-W. Grevels), (394) 15

Chromium

1,1′-Bis(methylthio)ruthenocene, syntheses, structures and stereodynamics of transition metal complexes of; crystal structure of 1,1′-bis(methylthio)ruthenocene tetracarbonyltungsten (E.W. Abel, N.J. Long, K.G. Orrell, A.G. Osborne, V. Šik, P.A. Bates, M.B. Hursthouse), (394) 455

Iron, chromium, molybdenum and tungsten diisopropylaminomethylidyne complexes (S. Anderson, A.F. Hill), (394) C24

Mixed-metal carbide clusters, $[MnRu_3C(CO)_{13}]^-$, $[MnOs_3C(CO)_{13}]^-$, $[Cr_2Ru_3C(CO)_{16}]^{2-}$, $[Mo_2Ru_3C(CO)_{16}]^{2-}$, $[Rh_3Ru_3C(CO)_{15}]^-$, $[Ni_3Ru_3C(CO)_{13}]^{2-}$ and $[Co_3Ru_3C(CO)_{15}]^-$; preparation via the ketenylidene route (M.P. Jensen, W. Henderson, D.H. Johnston, M. Sabat, D.F. Shriver), (394) 121

Cobalt

Cationic mixed metal clusters, NMR and EHMO investigation of; X-ray crystal structure of (1,7,7-trimethyl-μ^2-2-propynylnorbornene) bis-(cyclopentadienyl)tetracarbonyldimolybdenum (M.F. D'Agostino, C.S. Frampton, M.J. McGlinchey), (394) 145

Iron carbonyls, reactions with triple-decker sandwich complexes (η^5-C_5H_5)$Ni(\mu,\eta^5$-$C_2B_2C)M(\eta^5$-C_5H_5), (M = Co, Ni); replacement of (η^5-C_5H_5)Ni by and insertion of the $Fe(CO)_3$ fragment into the (η^5-C_5H_5)–Ni bond (J. Edwin, M.W. Whiteley, W. Herter, W. Siebert), (394) 329

Mixed-metal carbide clusters, $[MnRu_3C(CO)_{13}]^-$, $[MnOs_3C(CO)_{13}]^-$, $[Cr_2Ru_3C(CO)_{16}]^{2-}$, $[Mo_2Ru_3C(CO)_{16}]^{2-}$, $[Rh_3Ru_3C(CO)_{15}]^-$, $[Ni_3Ru_3C(CO)_{13}]^{2-}$ and $[Co_3Ru_3C(CO)_{15}]^-$; preparation via the ketenylidene route (M.P. Jensen, W. Henderson, D.H. Johnston, M. Sabat, D.F. Shriver), (394) 121

Molybdenum and tungsten carbyne complexes, oxygen tripod ligand supported; carbon–carbon bond formation reactions; crystal structures of $[L(CO)_2W{\equiv}CC_6H_4\text{-}p\text{-}CH_3]$ and $[L(CO)Mo(\mu\text{-}CO)Pd(I)C(C_6H_4\text{-}p\text{-}CH_3)C_6H_4\text{-}o\text{-}CH_2N(CH_3)_2]$, $L^- = [(C_5H_5)Co\{P(O)(OCH_3)_2\}_3]^-$ (W. Kläui, H. Hamers, M. Pfeffer, A. de Cian, J. Fischer), (394) 213

Nickel–molybdenum and nickel–tungsten complexes as building blocks in the synthesis of mixed-metal clusters (M.J. Chetcuti, P.N. Cunningham, J.C. Gordon, B.E. Grant, J. Klaiss), (394) 765

Sandwich complexes of transition metals, flexible coordination of indenyl ligands in; molecular structures of $(\eta\text{-}C_9R_7)_2M$ (M = Fe, R = H, Me; M = Co, Ni, R = H); direct measurement of the degree of slip-fold distortion as a function of *d*-electron count (S.A. Westcott, A.K. Kakkar, G. Stringer, N.J. Taylor, T.B. Marder), (394) 777

Copper

Cationic bridging alkylidyne complexes, reactions with nucleophiles (C.P. Casey, P.C. Vosejpka, M. Crocker), (394) 339

Mixed-metal clusters containing $M\{P(CH_2Ph)_3\}$ (M = Cu or Ag) fragments, influence of $P(CH_2Ph)_3$ ligand on the metal framework structures adopted by; crystal structures of $[Cu_2Ru_4(\mu_3\text{-}H)_2(CO)_{12}\{\mu\text{-}P(CH_2Ph)_2(\eta^2\text{-}CH_2Ph)\}]$ and $[Cu_2Ru_4(\mu_3\text{-}H)_2(CO)_{12}\{P(CH_2Ph)_3\}_2]$ (C.J. Brown, P.J. McCarthy, I.D. Salter, K.P. Armstrong, M. McPartlin, H.R. Powell), (394) 711

Gallium

Dimethylgallium azide polymer, X-ray crystal structure of; its use as a gallium nitride precursor (D.A. Atwood, R.A. Jones, A.H. Cowley, J.L. Atwood, S.G. Bott), (394) C6

Gold

Bis(diphenylphosphino)-methanide or -amide and its derivatives as ligands in gold chemistry (A. Laguna, M. Laguna), (394) 743

$(Ph_3PAu)_2Fe(CO)_3P(OEt)_3$ triangular Au_2Fe cluster, synthesis and molecular structure of (L.W. Arndt, C.E. Ash, M.Y. Darensbourg, Y.M. Hsiao, C.M. Kim, J. Reibenspies, K.A. Youngdahl), (394) 733

Iridium

C-Allylglycine-rhodium and -iridium complexes; preparation, structure and reactions of (I. Zahn, B. Wagner, K. Polborn, W. Beck), (394) 601

Iridium trifluoromethyl, difluorocarbene and tetrafluoroethylene complexes; crystal structures of $IrI(CH_3)(CF_3)(CO)(PPh_3)_2$, $Ir(CF_3)(C_2F_4)(CO)(PPh_3)_2$ and $Ir(CF_3)(=CF_2)(CO)(PPh_3)_2$ (P.J. Brothers, A.K. Burrell, G.R. Clark, C.E.F. Rickard, W.R. Roper), (394) 615

Metal carbonyl complexes, dinitrogen monoxide induced carbon–hydrogen activation by (C. Barrientos, C.K. Ghosh, W.A.G. Graham, M.J. Thomas), (394) C31

Iron

Cationic bridging alkylidyne complexes, reactions with nucleophiles (C.P. Casey, P.C. Vosejpka, M. Crocker), (394) 339

closo-3-$(\eta^6\text{-}C_6H_6)$-3,1,2-$FeC_2B_9H_{11}$, synthesis and molecular structure of (S.S. Lee, C.B. Knobler, M.F. Hawthorne), (394) 29

$CpM(SnPh_3)(CO)_2$ (M = Fe, Ru), carbene formation from; crystal structures of $CpFeI(CO)\{=C(OEt)Ph\}$, $CpRuI(CO)\{=C(OEt)Ph\}$ and $CpRuI(CO)\{=C(NHMe)Ph\}$ (H. Adams, N.A. Bailey, C. Ridgway, B.F. Taylor, S.J. Walters, M.J. Winter), (394) 349

Iron, chromium, molybdenum and tungsten diisopropylaminomethylidyne complexes (S. Anderson, A.F. Hill), (394) C24

Iron carbonyls, reactions with triple-decker sandwich complexes $(\eta^5\text{-}C_5H_5)Ni(\mu,\eta^5\text{-}C_2B_2C)M(\eta^5\text{-}C_5H_5)$, (M = Co, Ni); replacement of $(\eta^5\text{-}C_5H_5)Ni$ by and insertion of the $Fe(CO)_3$ fragment into the $(\eta^5\text{-}C_5H_5)$–Ni bond (J. Edwin, M.W. Whiteley, W. Herter, W. Siebert), (394) 329

Iron(II) heterodinuclear alkanediyl complexes containing molybdenum(II), tungsten(II), rhenium(I) and ruthenium(II), synthesis and properties of (H.B. Friedrich, J.R. Moss, B.K. Williamson), (394) 313

Metalladiborane anions, $[M(CO)_4(\eta^2\text{-}B_2H_5)]^-$ (Fe, Ru, Os), addition of electrophiles to (T.J. Coffy, S.G. Shore), (394) C27

Metal-rich metallaborane clusters, synthesis of; mechanism involving fragment condensation (X. Meng, A.K. Bandyopadhyay, T.P. Fehlner, F.-W. Grevels), (394) 15

Molybdenum–iron bonds, alkyne assisted formation of; synthesis and crystal structure of $[MoFe(\mu\text{-}C_4Ph_4)(CO)_4(S_2CNEt_2)_2]$ (H.-B. Kraatz, M.J. Went, J.C. Jeffery), (394) 167

Phosphorus-bridging carbonyl derivative containing three phosphorus atoms; crystal and molecular structure of $(^iPr_2NP)(^tBu_2PP)COFe_2(CO)_6$ (R.B. King, N.K. Bhattacharyya, E.M. Holt), (394) 305

$(Ph_3PAu)_2Fe(CO)_3P(OEt)_3$ triangular Au_2Fe cluster, synthesis and molecular structure of (L.W. Arndt, C.E. Ash, M.Y. Darensbourg, Y.M. Hsiao, C.M. Kim, J. Reibenspies, K.A. Youngdahl), (394) 733

Rh complexes containing optically active iron compounds as ligands, enantioselective catalysis with; crystal structure of $CpFe(CO)(COMe)PPh_2ORh(COD)$ (H. Brunner, R. Eder, B. Hammer, U. Klement), (394) 555

Sandwich complexes of transition metals, flexible coordination of indenyl ligands in; molecular structures of $(\eta\text{-}C_9R_7)_2M$ (M = Fe, R = H, Me; M = Co, Ni, R = H); direct measurement of the degree of slip-fold distortion as a function of *d*-electron count (S.A. Westcott, A.K. Kakkar, G. Stringer, N.J. Taylor, T.B. Marder), (394) 777

Lead

Bis[bis(trimethyl)silylmethyl]manganese(II), synthesis and properties of; crystal structures of its tetrahydrofuran and bis(dimethylphosphino)ethane adducts (P.B. Hitchcock, M.F. Lappert, W.-P. Leung, N.H. Buttrus), (394) 57

Manganese

Bis[bis(trimethyl)silylmethyl]manganese(II), synthesis and properties of; crystal structures of its tetrahydrofuran and bis(dimethylphosphino)ethane adducts (P.B. Hitchcock, M.F. Lappert, W.-P. Leung, N.H. Buttrus), (394) 57

$[3,3,3\text{-}(CO)_3\text{-}4\text{-}SMe_2\text{-}3,1,2\text{-}MnC_2B_9H_{10}]$, synthesis and molecular and electronic structure of; order-of-magnitude improved structure of $(\eta\text{-}C_5H_5)Mn(CO)_3$ (J. Cowie, E.J.M. Hamilton, J.C.V. Laurie, A.J. Welch), (394) 1

Manganese; stereospecific synthesis of mono- and bi-nuclear (ligand-bridged) carbonyl complexes of (G.A. Carriedo, V. Riera), (394) 275

Mixed-metal carbide clusters, $[MnRu_3C(CO)_{13}]^-$, $[MnOs_3C(CO)_{13}]^-$, $[Cr_2Ru_3C(CO)_{16}]^{2-}$, $[Mo_2Ru_3C(CO)_{16}]^{2-}$, $[Rh_3Ru_3C(CO)_{15}]^-$, $[Ni_3Ru_3C(CO)_{13}]^{2-}$ and $[Co_3Ru_3C(CO)_{15}]^-$; preparation via the ketenylidene route (M.P. Jensen, W. Henderson, D.H. Johnston, M. Sabat, D.F. Shriver), (394) 121

Mercury

Aryltin(IV) complexes, synthesis using arylmercury compounds; synthesis of mixed triaryltin(IV) complexes; crystal and molecular structure of $[Sn(2\text{-}C_6H_4N{=}NPh)Ph_2Cl]$ (J. Vicente, M.T. Chicote, M.C. Ramirez-de-Arellano, P.G. Jones), (394) 77

Methylmercury tetrafluoroborate, dimethylsulfoxide coordination to (H. Schmidbauer, H.-J. Öller, S. Gamper, G. Müller), (394) 757

Metallocenes

1,1′-Bis(methylthio)ruthenocene, syntheses, structures and stereodynamics of transition metal complexes of; crystal structure of 1,1′-bis(methylthio)ruthenocene tetracarbonyltungsten (E.W. Abel, N.J. Long, K.G. Orrell, A.G. Osborne, V. Šik, P.A. Bates, M.B. Hursthouse), (394) 455

1,3-Dichalcogena-2-vanada-[3]ferrocenophanes (M. Herberhold, M. Schrepfermann, A.L. Rheingold), (394) 113

Iron carbonyls, reactions with triple-decker sandwich complexes $(\eta^5\text{-}C_5H_5)Ni(\mu,\eta^5\text{-}C_2B_2C)M(\eta^5\text{-}C_5H_5)$, (M = Co, Ni); replacement of $(\eta^5\text{-}C_5H_5)Ni$ by and insertion of the $Fe(CO)_3$ fragment into the $(\eta^5\text{-}C_5H_5)$–Ni bond (J. Edwin, M.W. Whiteley, W. Herter, W. Siebert), (394) 329

Zirconoxycarbene complexes, preparation by regioselective coupling of (isoprene)zirconocene with hexacarbonyltungsten and a ketone; crystal structure of $Cp_2ZrOC[{=}W(CO)_5]CH_2CHC(CH_3)CH_2$ (G. Erker, F. Sosna, R. Pfaff, R. Noe, C. Sarter, A. Kraft, C. Krüger, R. Zwettler), (394) 99

Molybdenum

1,1′-Bis(methylthio)ruthenocene, syntheses, structures and stereodynamics of transition metal complexes of; crystal structure of 1,1′-bis(methylthio)ruthenocene tetracarbonyltungsten (E.W. Abel, N.J. Long, K.G. Orrell, A.G. Osborne, V. Šik, P.A. Bates, M.B. Hursthouse), (394) 455

Cationic mixed metal clusters, NMR and EHMO investigation of; X-ray crystal structure of (1,7,7-trimethyl-μ^2-2-propynylnorbornene) bis-(cyclopentadienyl)tetracarbonyldimolybdenum (M.F. D'Agostino, C.S. Frampton, M.J. McGlinchey), (394) 145

Dimolybdenum centre, interconversion of oxo and imido ligands at; X-ray crystal structure of $[Mo(\eta\text{-}C_5H_4Me)(NPh)(\mu\text{-}NPh)]_2$ (M.L.H. Green, G. Hogarth, P.C. Konidaris, P. Mountford), (394) C9

Iron, chromium, molybdenum and tungsten diisopropylaminomethylidyne complexes (S. Anderson, A.F. Hill), (394) C24

Iron(II) heterodinuclear alkanediyl complexes containing molybdenum(II), tungsten(II), rhenium(I) and ruthenium(II), synthesis and properties of (H.B. Friedrich, J.R. Moss, B.K. Williamson), (394) 313

Mixed-metal carbide clusters, $[MnRu_3C(CO)_{13}]^-$, $[MnOs_3C(CO)_{13}]^-$, $[Cr_2Ru_3C(CO)_{16}]^{2-}$, $[Mo_2Ru_3C(CO)_{16}]^{2-}$, $[Rh_3Ru_3C(CO)_{15}]^-$, $[Ni_3Ru_3C(CO)_{13}]^{2-}$ and $[Co_3Ru_3C(CO)_{15}]^-$; preparation via the ketenylidene route (M.P. Jensen, W. Henderson, D.H. Johnston, M. Sabat, D.F. Shriver), (394) 121

Molybdenum and tungsten carbyne complexes, oxygen tripod ligand supported; carbon–carbon bond formation reactions; crystal structures of $[L(CO)_2W{\equiv}CC_6H_4\text{-}p\text{-}CH_3]$ and $[L(CO)\overline{Mo(\mu\text{-}CO)Pd(I)}C(C_6H_4\text{-}p\text{-}CH_3)C_6H_4\text{-}o\text{-}CH_2N(CH_3)_2]$, $L^- = [(C_5H_5)Co\{P(O)(OCH_3)_2\}_3]^-$ (W. Kläui, H. Hamers, M. Pfeffer, A. de Cian, J. Fischer), (394) 213

Molybdenum– and tungsten–sulphur bonds, reversible insertion of alkynes into (L. Carlton, W.A.W.A. Bakar, J.L. Davidson), (394) 177

Molybdenum–iron bonds, alkyne assisted formation of; synthesis and crystal structure of $[MoFe(\mu\text{-}C_4Ph_4)(CO)_4(S_2CNEt_2)_2]$ (H.-B. Kraatz, M.J. Went, J.C. Jeffery), (394) 167

Nickel–molybdenum and nickel–tungsten complexes as building blocks in the synthesis of mixed-metal clusters (M.J. Chetcuti, P.N. Cunningham, J.C. Gordon, B.E. Grant, J. Klaiss), (394) 765

Tricarbonyl-$\eta^{5:1}$-(2-cyclopentadiendiyl)ethyl-molybdenum and -tungsten, photochemical reactions with cyclic dienes (C.G. Kreiter, M. Wenz, P. Bell), (394) 195

Nickel

Iron carbonyls, reactions with triple-decker sandwich complexes $(\eta^5\text{-}C_5H_5)Ni(\mu,\eta^5\text{-}C_2B_2C)M(\eta^5\text{-}C_5H_5)$, (M = Co, Ni); replacement of $(\eta^5\text{-}C_5H_5)Ni$ by and insertion of the $Fe(CO)_3$ fragment into the $(\eta^5\text{-}C_5H_5)$–Ni bond (J. Edwin, M.W. Whiteley, W. Herter, W. Siebert), (394) 329

Mixed-metal carbide clusters, $[MnRu_3C(CO)_{13}]^-$, $[MnOs_3C(CO)_{13}]^-$, $[Cr_2Ru_3C(CO)_{16}]^{2-}$, $[Mo_2Ru_3C(CO)_{16}]^{2-}$, $[Rh_3Ru_3C(CO)_{15}]^-$, $[Ni_3Ru_3C(CO)_{13}]^{2-}$ and $[Co_3Ru_3C(CO)_{15}]^-$; preparation via the ketenylidene route (M.P. Jensen, W. Henderson, D.H. Johnston, M. Sabat, D.F. Shriver), (394) 121

Nickel–molybdenum and nickel–tungsten complexes as building blocks in the synthesis of mixed-metal clusters (M.J. Chetcuti, P.N. Cunningham, J.C. Gordon, B.E. Grant, J. Klaiss), (394) 765

Sandwich complexes of transition metals, flexible coordination of indenyl ligands in; molecular structures of $(\eta\text{-}C_9R_7)_2M$ (M = Fe, R = H, Me; M = Co, Ni, R = H); direct measurement of the degree of slip-fold distortion as a function of *d*-electron count (S.A. Westcott, A.K. Kakkar, G. Stringer, N.J. Taylor, T.B. Marder), (394) 777

Osmium

Dinuclear, hydrido-bridged osmium complexes with double and triple Os–Os bonds; synthesis, structure and reactivity of (M. Schulz, S. Stahl, H. Werner), (394) 469

(η-Mesitylene)osmium complexes containing tertiary phosphines, intermolecular and intramolecular C–H activation reactions of (M.A. Bennett, A.M.M. Weerasuria), (394) 481

Metalladiborane anions, $[M(CO)_4(\eta^2\text{-}B_2H_5)]^-$ (Fe, Ru, Os), addition of electrophiles to (T.J. Coffy, S.G. Shore), (394) C27

$Os_3(\mu\text{-}H)_2(CO)_9(L)$ clusters, L = PMe_2Ph, PMe_3, P^iPr_3, $P(o\text{-tolyl})_3$ and $PPh(1\text{-naphthyl})_2$, fluxional behaviour of; crystal structure of $Os_3(\mu\text{-}H)_2(CO)_9(P^iPr_3)$ (L.J. Farrugia), (394) 515

Planar hexanuclear osmium clusters, substitution reactions of (A. Bott, J.G. Jeffrey, B.F.G. Johnson, J. Lewis), (394) 533

Palladium

Molybdenum and tungsten carbyne complexes, oxygen tripod ligand supported; carbon–carbon bond formation reactions; crystal structures of $[L(CO)_2W{\equiv}CC_6H_4\text{-}p\text{-}CH_3]$ and $[L(CO)\overline{Mo(\mu\text{-}CO)Pd(I)}C(C_6H_4\text{-}p\text{-}CH_3)C_6H_4\text{-}o\text{-}CH_2N(CH_3)_2]$, $L^- = [(C_5H_5)Co\{P(O)(OCH_3)_2\}_3]^-$ (W. Kläui, H. Hamers, M. Pfeffer, A. de Cian, J. Fischer), (394) 213

Palladium(II) and platinum(II) complexes with non-cyclic and cyclic ligands $(C_6H_3\{CH_2NR^1R^2\}_2\text{-}2,6)^-$, synthesis and reactivity towards diiodine; end-on diiodine–platinum(II) bonding in macrocyclic $[PtI(C_6H_3\{CH_2NMe(CH_2)_7MeNCH_2\}\text{-}2,6)(\eta^1\text{-}I_2)]$ (J.A.M. van Beek, G. van Koten, G.P.C.M. Dekker, E. Wissing, M.C. Zoutberg, C.H. Stam), (394) 659

Polynuclear palladium(II)–platinum(II) pentafluorophenyl homo- or heterometallic complexes containing bridging diphenylphosphido ligands; synthesis and crystal structure of $[(C_6F_5)_2Pt(\mu\text{-}PPh_2)_2Pt(phen)]$ (J. Forniés, C. Fortuño, R. Navarro, F. Martínez, A.J. Welch), (394) 643

Phosphorus

Bis(diphenylphosphino)-methanide or -amide and its derivatives as ligands in gold chemistry (A. Laguna, M. Laguna), (394) 743

[ClPt(NMe$_2$NHCH$_2$CHPPh$_2$CH$_2$CH$_2$PPh$_2$)]Cl containing a tridentate ylide ligand, chemistry and crystal structure of (X.L.R. Fontaine, A.M. Herring, D.P. Markham, B.L. Shaw, M. Thornton-Pett), (394) 699

Dinuclear, hydrido-bridged osmium complexes with double and triple Os–Os bonds; synthesis, structure and reactivity of (M. Schulz, S. Stahl, H. Werner), (394) 469

Iridium trifluoromethyl, difluorocarbene and tetrafluoroethylene complexes; crystal structures of IrI(CH$_3$)(CF$_3$)(CO)(PPh$_3$)$_2$, Ir(CF$_3$)(C$_2$F$_4$)(CO)(PPh$_3$)$_2$ and Ir(CF$_3$)(=CF$_2$)(CO)(PPh$_3$)$_2$ (P.J. Brothers, A.K. Burrell, G.R. Clark, C.E.F. Rickard, W.R. Roper), (394) 615

(PMe$_3$)$_4$Ru(OC$_6$H$_4$Me)$_2$, phosphorus–carbon bond cleavage reaction of coordinated trimethylphosphine in (J.F. Hartwig, R.G. Bergman, R.A. Andersen), (394) 417

Polynuclear palladium(II)–platinum(II) pentafluorophenyl homo- or heterometallic complexes containing bridging diphenylphosphido ligands; synthesis and crystal structure of [(C$_6$F$_5$)$_2$Pt(μ-PPh$_2$)$_2$Pt(phen)] (J. Forniés, C. Fortuño, R. Navarro, F. Martínez, A.J. Welch), (394) 643

Pt(II)-η^3-benzyl complexes, synthesis of; crystal structure of [Pt(Bu$^t_2$P(CH$_2$)$_3$PBu$^t_2$)(η^3-*anti*-1-MeCHC$_6$H$_4$Br-4)][BF$_4$] (L.E. Crascall, S.A. Litster, A.D. Redhouse, J.L. Spencer), (394) C35

Rh complexes containing optically active iron compounds as ligands, enantioselective catalysis with; crystal structure of CpFe(CO)(COMe)PPh$_2$ORh(COD) (H. Brunner, R. Eder, B. Hammer, U. Klement), (394) 555

Trichloro(carbonyl)tris(dimethylphenylphosphine)rhenium(III), photochemistry in low temperature media (A.J. Rest, M.J. Wilson, E.C. Barra, P.G. Reveco), (394) C21

Platinum

[ClPt(NMe$_2$NHCH$_2$CHPPh$_2$CH$_2$CH$_2$PPh$_2$)]Cl containing a tridentate ylide ligand, chemistry and crystal structure of (X.L.R. Fontaine, A.M. Herring, D.P. Markham, B.L. Shaw, M. Thornton-Pett), (394) 699

Diphenyl{tris(trimethylsilyl)methyl}phosphine, desilylation and cyclometallation reactions with platinum(II) compounds; crystal structure of *trans*[PtClPPh$_2$C(SiMe$_3$)$_2$SiMe$_2$CH$_2$}PPh$_2$

Palladium(II) and platinum(II) complexes with non-cyclic and cyclic ligands (C$_6$H$_3${CH$_2$NR^{1}R^2}$_2$-2,6)$^-$, synthesis and reactivity towards diiodine; end-on diiodine–platinum(II) bonding in macrocyclic [PtI(C$_6$H$_3${CH$_2$NMe(CH$_2$)$_7$MeNCH$_2$}-2,6)(η^1-I$_2$)] (J.A.M. van Beek, G. van Koten, G.P.C.M. Dekker, E. Wissing, M.C. Zoutberg, C.H. Stam), (394) 659

Polynuclear palladium(II)–platinum(II) pentafluorophenyl homo- or heterometallic complexes containing bridging diphenylphosphido ligands; synthesis and crystal structure of [(C$_6$F$_5$)$_2$Pt(μ-PPh$_2$)$_2$Pt(phen)] (J. Forniés, C. Fortuño, R. Navarro, F. Martínez, A.J. Welch), (394) 643

Pt(II)-η^3-benzyl complexes, synthesis of; crystal structure of [Pt(Bu$^t_2$P(CH$_2$)$_3$PBu$^t_2$)(η^3-*anti*-1-MeCHC$_6$H$_4$Br-4)][BF$_4$] (L.E. Crascall, S.A. Litster, A.D. Redhouse, J.L. Spencer), (394) C35

Trinuclear platinum clusters, molecular orbital study of (D.M.P. Mingos, T. Slee), (394) 679

Rhenium

Iron(II) heterodinuclear alkanediyl complexes containing molybdenum(II), tungsten(II), rhenium(I) and ruthenium(II), synthesis and properties of (H.B. Friedrich, J.R. Moss, B.K. Williamson), (394) 313

Rhenium oxo and methylimido complexes with oxygen, sulphur and nitrogen chelates; synthesis, elimination reactions and structural analysis (W.A. Herrmann, D.W. Marz, E. Herdtweck), (394) 285

Trichloro(carbonyl)tris(dimethylphenylphosphine)rhenium(III), photochemistry in low temperature media (A.J. Rest, M.J. Wilson, E.C. Barra, P.G. Reveco), (394) C21

Rhodium

Alkenyl-dirhodium complexes, syntheses, structures, and reactions of; coupling μ-methylene and σ-vinyl to allyl, an entry to μ-ethylidene-μ-methylene dirhodium complexes; crystal structures of [{(C$_5$Me$_5$Rh)(μ-CH$_2$)(CH=CH$_2$)}$_2$] and [(C$_5$Me$_5$Rh)$_2$(μ-CH$_2$)(μ-CHMe)Cl$_2$] (J. Martinez, J.B. Gill, H. Adams, N.A. Bailey, I.M. Saez, G.J. Sunley, P.M. Maitlis), (394) 583

C-Allylglycine-rhodium and -iridium complexes; preparation, structure and reactions of (I. Zahn, B. Wagner, K. Polborn, W. Beck), (394) 601

3,4-Diborafulvene as bridging ligand in a novel slipped tripledecker complex (G.E. Herberich, C. Ganter, L. Wesemann, R. Boese), (394) C1

Metal carbonyl complexes, dinitrogen monoxide induced carbon–hydrogen activation by (C. Barrientos, C.K. Ghosh, W.A.G. Graham, M.J. Thomas), (394) C31

Mixed-metal carbide clusters, $[MnRu_3C(CO)_{13}]^-$, $[MnOs_3C(CO)_{13}]^-$, $[Cr_2Ru_3C(CO)_{16}]^{2-}$, $[Mo_2Ru_3C(CO)_{16}]^{2-}$, $[Rh_3Ru_3C(CO)_{15}]^-$, $[Ni_3Ru_3C(CO)_{13}]^{2-}$ and $[Co_3Ru_3C(CO)_{15}]^-$; preparation via the ketenylidene route (M.P. Jensen, W. Henderson, D.H. Johnston, M. Sabat, D.F. Shriver), (394) 121

Rh complexes containing optically active iron compounds as ligands, enantioselective catalysis with; crystal structure of $CpFe(CO)(COMe)PPh_2ORh(COD)$ (H. Brunner, R. Eder, B. Hammer, U. Klement), (394) 555

Rhodium-catalyzed reactions of 1-alkynes with 3-butenoic acid, multiple pathways in (G. Salerno, M. Panza, G.P. Chiusoli, M. Costa), (394) 569

Ruthenium

1,1′-Bis(methylthio)ruthenocene, syntheses, structures and stereodynamics of transition metal complexes of; crystal structure of 1,1′-bis(methylthio)ruthenocene tetracarbonyltungsten (E.W. Abel, N.J. Long, K.G. Orrell, A.G. Osborne, V. Šik, P.A. Bates, M.B. Hursthouse), (394) 455

$CpM(SnPh_3)(CO)_2$ (M = Fe, Ru), carbene formation from; crystal structures of $CpFeI(CO)\{=C(OEt)Ph\}$, $CpRuI(CO)\{=C(OEt)Ph\}$ and $CpRuI(CO)\{=C(NHMe)Ph\}$ (H. Adams, N.A. Bailey, C. Ridgway, B.F. Taylor, S.J. Walters, M.J. Winter), (394) 349

Iron(II) heterodinuclear alkanediyl complexes containing molybdenum(II), tungsten(II), rhenium(I) and ruthenium(II), synthesis and properties of (H.B. Friedrich, J.R. Moss, B.K. Williamson), (394) 313

Metalladiborane anions, $[M(CO)_4(\eta^2\text{-}B_2H_5)]^-$ (Fe, Ru, Os), addition of electrophiles to (T.J. Coffy, S.G. Shore), (394) C27

Mixed-metal carbide clusters, $[MnRu_3C(CO)_{13}]^-$, $[MnOs_3C(CO)_{13}]^-$, $[Cr_2Ru_3C(CO)_{16}]^{2-}$, $[Mo_2Ru_3C(CO)_{16}]^{2-}$, $[Rh_3Ru_3C(CO)_{15}]^-$, $[Ni_3Ru_3C(CO)_{13}]^{2-}$ and $[Co_3Ru_3C(CO)_{15}]^-$; preparation via the ketenylidene route (M.P. Jensen, W. Henderson, D.H. Johnston, M. Sabat, D.F. Shriver), (394) 121

Mixed-metal clusters containing $M\{P(CH_2Ph)_3\}$ (M = Cu or Ag) fragments, influence of $P(CH_2Ph)_3$ ligand on the metal framework structures adopted by; crystal structures of $[Cu_2Ru_4(\mu_3\text{-}H)_2(CO)_{12}\{\mu\text{-}P(CH_2Ph)_2(\eta^2\text{-}CH_2Ph)\}]$ and $[Cu_2Ru_4(\mu_3\text{-}H)_2(CO)_{12}\{P(CH_2Ph)_3\}_2]$ (C.J. Brown, P.J. McCarthy, I.D. Salter, K.P. Armstrong, M. McPartlin, H.R. Powell), (394) 711

Open Ru_5 cluster, reactions of (M.I. Bruce), (394) 365

$(PMe_3)_4Ru(OC_6H_4Me)_2$, phosphorus–carbon bond cleavage reaction of coordinated trimethylphosphine in (J.F. Hartwig, R.G. Bergman, R.A. Andersen), (394) 417

$Ru_3\{\mu\text{-}H,\mu\text{-}O{=}CNMe_2\}(CO)_{10}$, reaction with diarylacetylenes; synthesis and subsequent reaction of a $\{\mu$-carboxamido,$\mu\text{-}\sigma,\pi$-vinyl$\}$-hexacarbonyl diruthenium complex with propyne; crystal and molecular structures of $Ru_2\{\mu\text{-}O{=}CNMe_2,\mu\text{-}\sigma,\pi\text{-}C(p\text{-tol}){=}CH(p\text{-tol})\}(CO)_6$, and of $Ru_2\{\mu\text{-}O{=}CNMe_2,\mu\text{-}\sigma,\pi\text{-}C(CH_3){=}C(H)C(p\text{-tolyl}){=}CH(p\text{-tolyl})\}(CO)_6$ (p-tol = p-$CH_3C_6H_4$) (W. Krone-Schmidt, W.J. Sieber, N.M. Boag, C.B. Knobler, H.D. Kaesz), (394) 433

Ruthenium, benzyne complexes of; models for dissociative chemisorption of benzene on a metal surface; crystal structures of $[Ru_4(CO)_{10}(\mu\text{-}CO)(\mu_4\text{-}PR)(\mu_4\text{-}\eta^4\text{-}C_6H_4)]$ (R = Ph and CH_2NPh_2), $[Ru_5(CO)_{13}(\mu_4\text{-}PPh)(\mu_5\text{-}\eta^6\text{-}C_6H_4)]$ and $[Ru_6(CO)_{12}(\mu_4\text{-}PMe)_2(\mu_3\text{-}\eta^2\text{-}C_6H_4)_2]$ (S.A.R. Knox, B.R. Lloyd, D.A.V. Morton, S.M. Nicholls, A.G. Orpen, J.M. Viñas, M. Weber, G.K. Williams), (394) 385

Samarium

Bis(trimethylsilyl)cyclopentadienyl samarium complexes, synthesis and reactivity of; X-ray crystal structure of $[(Me_3Si)_2C_5H_3]_3Sm$ (W.J. Evans, R.A. Keyer, J.W. Ziller), (394) 87

Silicon

Bis[bis(trimethyl)silylmethyl]manganese(II), synthesis and properties of; crystal structures of its tetrahydrofuran and bis(dimethylphosphino)ethane adducts (P.B. Hitchcock, M.F. Lappert, W.-P. Leung, N.H. Buttrus), (394) 57

Diphenyl{tris(trimethylsilyl)methyl}phosphine, desilylation and cyclometallation reactions with platinum(II) compounds; crystal structure of *trans*-$[PtClPPh_2C(SiMe_3)_2SiMe_2CH_2\{PPh_2$

Fluorovinylsilanes, bromodesilylation of (T. Gouyon, R. Sauvêtre, J.-F. Normant), (394) 37

Tetramesityldisilene, reactions with azides; synthesis of disilaaziridines (G.R. Gillette, R. West), (394) 45

Silver

Mixed-metal clusters containing $M\{P(CH_2Ph)_3\}$ (M = Cu or Ag) fragments, influence of $P(CH_2Ph)_3$ ligand on the metal framework structures adopted by; crystal structures of $[Cu_2Ru_4(\mu_3\text{-}H)_2(CO)_{12}\{\mu\text{-}P(CH_2Ph)_2(\eta^2\text{-}CH_2Ph)\}]$ and $[Cu_2Ru_4(\mu_3\text{-}H)_2(CO)_{12}\{P(CH_2Ph)_3\}_2]$ (C.J. Brown, P.J. McCarthy, I.D. Salter, K.P. Armstrong, M. McPartlin, H.R. Powell), (394) 711

Sulphur

1,1′-Bis(methylthio)ruthenocene, syntheses, structures and stereodynamics of transition metal complexes of; crystal structure of 1,1′-bis(methylthio)ruthenocene tetracarbonyltungsten (E.W. Abel, N.J. Long, K.G. Orrell, A.G. Osborne, V. Šik, P.A. Bates, M.B. Hursthouse), (394) 455

$[3,3,3\text{-}(CO)_3\text{-}4\text{-}SMe_2\text{-}3,1,2\text{-}MnC_2B_9H_{10}]$, synthesis and molecular and electronic structure of; order-of-magnitude improved structure of $(\eta\text{-}C_5H_5)Mn(CO)_3$ (J. Cowie, E.J.M. Hamilton, J.C.V. Laurie, A.J. Welch), (394) 1

Molybdenum– and tungsten–sulphur bonds, reversible insertion of alkynes into (L. Carlton, W.A.W.A. Bakar, J.L. Davidson), (394) 177

Rhenium oxo and methylimido complexes with oxygen, sulphur and nitrogen chelates; synthesis, elimination reactions and structural analysis (W.A. Herrmann, D.W. Marz, E. Herdtweck), (394) 285

Tetramesityldisilene, reactions with azides; synthesis of disilaaziridines (G.R. Gillette, R. West), (394) 45

Tin

Aryltin(IV) complexes, synthesis using arylmercury compounds; synthesis of mixed triaryltin(IV) complexes; crystal and molecular structure of $[Sn(2\text{-}C_6H_4N{=}NPh)Ph_2Cl]$ (J. Vicente, M.T. Chicote, M.C. Ramirez-de-Arellano, P.G. Jones), (394) 77

Bis[bis(trimethyl)silylmethyl]manganese(II), synthesis and properties of; crystal structures of its tetrahydrofuran and bis(dimethylphosphino)ethane adducts (P.B. Hitchcock, M.F. Lappert, W.-P. Leung, N.H. Buttrus), (394) 57

Tungsten

1,1′-Bis(methylthio)ruthenocene, syntheses, structures and stereodynamics of transition metal complexes of; crystal structure of 1,1′-bis(methylthio)ruthenocene tetracarbonyltungsten (E.W. Abel, N.J. Long, K.G. Orrell, A.G. Osborne, V. Šik, P.A. Bates, M.B. Hursthouse), (394) 455

$Cp(CO)_2W{\equiv}CTol$ and $Cp(CO)_2W{\equiv}C(2\text{-}C_4H_3S)$, protonation in the presence of alkynes and carbon monoxide; synthesis of 1-naphthols and 4-hydroxy-5,6-dimethylbenzothiophene (K.E. Garrett, W.C. Feng, H. Matsuzaka, G.L. Geoffroy, A.L. Rheingold), (394) 251

2,5-Dithiahex-3-yne (MeSC≡CSMe) and tungsten carbonyl complexes, electrophilic and nucleophilic reactions of (D.C. Miller, R.J. Angelici), (394) 235

Iron, chromium, molybdenum and tungsten diisopropylaminomethylidyne complexes (S. Anderson, A.F. Hill), (394) C24

Iron(II) heterodinuclear alkanediyl complexes containing molybdenum(II), tungsten(II), rhenium(I) and ruthenium(II), synthesis and properties of (H.B. Friedrich, J.R. Moss, B.K. Williamson), (394) 313

Molybdenum and tungsten carbyne complexes, oxygen tripod ligand supported; carbon–carbon bond formation reactions; crystal structures of $[L(CO)_2W{\equiv}CC_6H_4\text{-}p\text{-}CH_3]$ and $[L(CO)\overline{Mo(\mu\text{-}CO)}\underline{Pd(I)}\dot{C}(C_6H_4\text{-}p\text{-}CH_3)C_6H_4\text{-}o\text{-}CH_2\underline{N}(CH_3)_2]$, $L^- = [(C_5H_5)Co\{P(O)(OCH_3)_2\}_3]^-$ (W. Kläui, H. Hamers, M. Pfeffer, A. de Cian, J. Fischer), (394) 213

Molybdenum– and tungsten–sulphur bonds, reversible insertion of alkynes into (L. Carlton, W.A.W.A. Bakar, J.L. Davidson), (394) 177

Nickel–molybdenum and nickel–tungsten complexes as building blocks in the synthesis of mixed-metal clusters (M.J. Chetcuti, P.N. Cunningham, J.C. Gordon, B.E. Grant, J. Klaiss), (394) 765

Tetranuclear tungsten carbide cluster formed by the reductive cleavage of carbon monoxide; structural characterization of $W_4(\mu_4\text{-}C)(OCH_2\text{-}c\text{-}C_5H_9)_{14}$ (M.H. Chisholm, C.E. Hammond, J.C. Huffman, V.J. Johnston), (394) C16

Tricarbonyl-$\eta^{5:1}$-(2-cyclopentadiendiyl)ethyl-molybdenum and -tungsten, photochemical reactions with cyclic dienes (C.G. Kreiter, M. Wenz, P. Bell), (394) 195

$W_4(OCH_2Pr^i)_{12}(\eta^2,\mu_4\text{-}CO)(CO)_2$ tricarbonyl, tetranuclear tungsten cluster supported by alkoxide ligands (M.H. Chisholm, K. Folting, V.J. Johnston, C.E. Hammond), (394) 265

Zirconoxycarbene complexes, preparation by regioselective coupling of (isoprene)zirconocene with hexacarbonyltungsten and a ketone; crystal structure of $Cp_2ZrOC[=W(CO)_5]CH_2CHC(CH_3)CH_2$ (G. Erker, F. Sosna, R. Pfaff, R. Noe, C. Sarter, A. Kraft, C. Krüger, R. Zwettler), (394) 99

Vanadium

1,3-Dichalcogena-2-vanada-[3]ferrocenophanes (M. Herberhold, M. Schrepfermann, A.L. Rheingold), (394) 113

Zirconium

Zirconoxycarbene complexes, preparation by regioselective coupling of (isoprene)zirconocene with hexacarbonyltungsten and a ketone; crystal structure of $Cp_2ZrOC[=W(CO)_5]CH_2CHC(CH_3)CH_2$ (G. Erker, F. Sosna, R. Pfaff, R. Noe, C. Sarter, A. Kraft, C. Krüger, R. Zwettler), (394) 99